EH-NC-A Series 600w Network Cabinet



Standard

Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7, GBIT3047.2-92 standard.

Feature

- 19 inch standard;
- Removable Side Panels, side locks are optional;
- Knock-off hole for entering cable on both top cover, bottom panel, rear panel
- Turning angle of front door is over 180 degrees
- Easy mounting installation
- Unassembled package saving shipping space
- fans, shelf and PDU are optional

Loading Capacity

700KG

Degree of Protection

IP20

Material

- SPCC Cold Rolled Steel
- Metal Thickness : 0.9mm-1.8mm

Surface Finish:

Powder coating

Cabinet details



Fan exhaust hole



Bottom



Removable side panels
(Side lock optional)



ventilation fan




Tempered glass door/Mesh door (optional)




Zinc plated mounting profile with U mark
(Ground wire optional)


EH-NC-A Series 600w Network Cabinet




Main dimension 42U 600*600*2055mm




Front view
(Toughened glass)




Side view




Inside view



Bottom view



Back view



Top view

EH-NC-A Series 600w Network Cabinet

Main parts

S/N	Specification	Quantity	Unit	Material	Surface Finish	Remark
1	Mounting profile	4	Piece	Coated Zinc plate t1.8	Coated Zinc	with U mark
2	support frame	4	Piece	SPCC cold rolled steel t0.9	Powder coated	
3	universal main frame	4	Piece	SPCC cold rolled steel t0.9	Powder coated	
4	Cross beam	4/6	Piece	SPCC cold rolled steel t1.4	Powder coated	4pcs≤27U 6pcs≥32U
5	Side panel	2	Piece	SPCC cold rolled steel t0.9	Powder coated	
6	Top cover	1	Piece	SPCC cold rolled steel t0.9	Powder coated	
7	Bottom panel	1	Piece	SPCC cold rolled steel t0.9	Powder coated	
8	Rear door	1	Piece	SPCC cold rolled steel t0.9	Powder coated	
9	Front door	1	Piece	5MM toughened glass door/SPCC t0.9	Powder coated	
10	Shelf	1	Piece	SPCC cold rolled steel t1.1	Powder coated	
11	Lock	2	Piece	Steel	Color Back	with 2 keys
12	Fan	1	Piece	Equipped with female fan connector	Color Back	
13	Casters	4	Piece	2 brake casters, 2 swivel casters	Color Back	
14	M6 Cam screws	30	Sets	Steel	Color Back	
15	Allen wrench	1	Piece	Steel	Color Zinc	

Specification

Model No.	Capacity	Width	Depth	Height	Packing dimension	Volume	Total
	(U)	(mm)	(mm)	(mm)	(mm)	(CBM)	(CBM)
EH-NC-A-12W6D6	12	600	600	725	640*640*112	0.0459	0.1117
					610*680*250	0.0363	
					626*620*76	0.0295	
EH-NC-A-15W6D6	15	600	600	845	640*640*112	0.0459	0.1228
					610*790*250	0.0422	
					626*730*76	0.0347	
EH-NC-A-18W6D6	18	600	600	975	640*640*112	0.0459	0.1359
					610*920*250	0.0491	
					626*860*76	0.0409	

EH-NC-A Series 600w Network Cabinet

Specification

Model No.	Capacity	Width	Depth	Height	Packing dimension	Volume	Total
	(U)	(mm)	(mm)	(mm)	(mm)	(CBM)	(CBM)
EH-NC-A-22W6D6	22	600	600	1175	640*640*112	0.0459	0.1561
					610*1120*250	0.0598	
					626*1060*76	0.0504	
EH-NC-A-27W6D6	27	600	600	1375	640*640*112	0.0459	0.1763
					610*1320*250	0.0705	
					626*1260*76	0.0599	
EH-NC-A-32W6D6	32	600	600	1615	640*640*112	0.0459	0.2005
					610*1560*250	0.0833	
					626*1500*76	0.0714	
EH-NC-A-36W6D6	36	600	600	1815	640*640*112	0.0459	0.2207
					610*1760*250	0.0939	
					626*1700*76	0.0809	
EH-NC-A-42W6D6	42	600	600	2055	640*640*112	0.0459	0.2449
					610*2000*250	0.1068	
					626*1940*76	0.0923	
EH-NC-A-47W6D6	47	600	600	2255	640*640*112	0.0459	0.2651
					610*2200*250	0.1174	
					626*2140*76	0.1018	

EH-NC-A Series 600w Network Cabinet

Packaging Example





